

We Claim:

1. An apparatus for quickly converting a showerhead to a handheld shower sprayer comprising:

a water supply pipe, said pipe has a threaded fastener at one end;

5 a showerhead, said showerhead having a threaded fastener at one end;

a set of in-line couplers, said couplers includes a threaded female coupler that is connected to said water supply threaded end, and a threaded male coupler that is connected to said showerhead threaded end; and,

means to quickly connect/disconnect said male coupler which is fasten to said

10 showerhead from said female coupler which is fasten to said water supply pipe.

2. An apparatus for quickly converting a showerhead to a handheld shower sprayer according to claim 1, furthermore includes a flexible conduit, said

flexible conduit includes a flexible hose connected to similar type of said

15 male coupler and said female coupler at each ends of said flexible hose,

said flexible conduit provides extension for connecting said showerhead to

said water supply pipe via its quick connect/disconnect said couplers.

3. An apparatus for quickly converting a showerhead to a shower sprayer according to claim 1, wherein said means to quickly connect/disconnect

said male coupler to said female coupler can be via pushbutton
lock/unlock mechanism.

4. An apparatus for quickly converting a showerhead to a handheld shower
sprayer according to claim 1, wherein said means to quickly

5 connect/disconnect said male coupler to said female coupler can be via
twist motion lock/unlock mechanism.

5. An apparatus for quickly converting a showerhead to a handheld shower
sprayer according to claim 1, wherein said means to quickly

10 connect/disconnect said male coupler to said female coupler can be via
forward push to lock and unlock it via pullback mechanism.

6. An apparatus for quickly converting a showerhead to a handheld shower
sprayer according to claim 1, wherein said threaded female coupler have
integrated anti scald mechanism.

15 7. An apparatus for quickly converting a showerhead to a handheld shower
sprayer according to claim 1, wherein said threaded female coupler have
integrated flow regulator mechanism.

8. An apparatus for quickly converting a showerhead to a handheld shower
sprayer according to claim 1, wherein said threaded female coupler have
integrated shutoff valve.

9. An apparatus for quickly converting a showerhead to a handheld shower sprayer comprising:

a water supply pipe, said pipe has a threaded fastener at one end;

a showerhead, said showerhead having a threaded fastener at one end;

5 a set of in-line couplers, said couplers includes a threaded male coupler that is connected to said water supply threaded end, and a threaded female coupler that is connected to said showerhead threaded end; and,

means to quickly connect/disconnect said female coupler which is fasten to said showerhead from said male coupler which is fasten to said water supply
10 pipe.

10. An apparatus for quickly converting a showerhead to a handheld shower sprayer according to claim 9, furthermore includes a flexible conduit, said flexible conduit includes a flexible hose connected to similar type of said female coupler and said male coupler at each ends of said flexible hose,
15 said flexible conduit provides extension for connecting said showerhead to said water supply pipe via its quick connect/disconnect said couplers.